





System Overview – Electrification

Connection modules for con.media Userbase

	Connection modules for Userbase							
Element	Connection module 1		Connection module 2		Connection module 3		Connection module 4	
Dimensions in mm	for Userbase 1,000	for Userbase 750	for Userbase 1,000	für Userbase 750	for Userbase 1,000	for Userbase 750	for Userbase 1,000	for Userbase 750
Data modules	2 each RJ45, 8-pole, CAT 6, shielded		2 each, RJ45, 8-pole, CAT6, shielded		-		2 each, RJ45, 8-pole, CAT6, shielded	
Schuko sockets	3 each, 2-pole, 16 A/250 V DIN 49440		4 each, 2-pole, 16 A/250 V DIN 49440		5 each, 2-pole, 16 A/250 V DIN 49440		3 each, 2-pole, 16 A/250 V DIN 49440	
Telephone connection	1 x RJ45, CAT5, shielded		-		-			
VGA							1 x VGA- Anschluss	
								


The connection modules can be individually configured to suit the customer's needs.

con.media Conference System – Video Conference



The con.media video conference desk is designed for an optimal camera angle.

- con.media Video Conference Desk Product Characteristics**
- Designed in two different sizes
 - Desk height: 72 cm
 - Desk top thickness: 19 or 25 mm
 - The desk top consists of three panels; the leg base is shaped to match the conferencing system.
 - Electrification is provided via a vertical cable channel in the centre of the desk

- Layout of the con.media Video Conference Desk**
- 1 feet with height adjustment screws
 - 2 leg base
 - 3 connecting rod
 - 4 central leg with cable guide
 - 5 cable outlet
 - 6 desk top
 - 7 desk top frame



System Overview – Video Conference Desks

	Video Conference	
Number of participants	9 participants	6 participants
Dimensions AxB (in mm)	2,538x2,575	1,551x1,566
Height (in mm)	720	720
		


Q3/M/Z Series Conference and Meeting Desks

All elements are matched in shape and design to the various desk series and are available in a variety of standard configurations or as customised solutions with a wide range of design options.

Q3 Series Conference Desks

Product Characteristics:

- Minimalist design that maintains the ability to meet all technical requirements
- Square four-leg base
- Tubular leg: 40x40 mm
- Fixed desk height 720 mm
- Desk depths 800 mm
- Desk widths: 800 to 1,600 mm
- Desk top thicknesses: 19 or 25 mm;
solid core top: 13 mm




Q3 Series

M Series Conference Desks

Product Characteristics

- Round tubular leg frame: diameter 60 mm
- Round or angular panel inserts with metal frames to reduce the total number of legs in the system
- Panel inserts can be inserted into the integrated linking slide in the leg at a later date without the need for additional components
- Desk depths: 800 mm and 1,000 mm
- Desk widths: 800 to 2,000 mm
- Stable desk tops 25 mm supported by metal frames
- Ability to make a round desk with a total diameter of 2,400 mm that is either open or closed in the centre by using a round insert




M Series

Z Series Conference Desks

Product Characteristics

- Round tubular four-leg frame: diameter 51 mm
- Square tubular four-leg frame: 40x40 mm
- Spacer panels with a 40 mm high frame substructure to reduce the number of legs in a conference desk system
- The indented frame offers maximum leg room
- Desk depths: 800/900/1,000 mm
- Desk widths: 800 to 2,000 mm
- Robust, stable desk tops 19 or 25 mm
- in the widths 1,400 to 2,000 optionally available with Userbase



Z Series

System Overview – Conference and Meeting Desks

	Q3 Series	M Series	Z Series	Z Series with Userbase	U4 Series	U4 Series with Userbase	CN Series	CN Series with Userbase	radoppio
2,000x800		•	•	•	•	•	•	•	
1,800x800		•	•	•	•	•	•	•	
1,600x800	•	•	•	•	•	•	•	•	
1,400x800	•	•	•	•	•	•	•	•	
1,200x800	•	•	•		•		•*		
1,000x800			•		•		•*		
800x800	•	•	•		•		•*		
2,000x900			•	•	•	•			
1,800x900			•	•	•	•			
1,600x900			•	•	•	•			
1,400x900			•	•	•	•			
1,200x900			•		•				
1,000x900			•		•				
2,000x1,000			•	•	•	•	•	•	
1,800x1,000		•	•	•	•	•	•	•	
1,600x1,000		•	•	•	•	•	•	•	
1,400x1,000			•	•	•	•	•	•	
1,200x1,000		•	•		•		•*		
1,000x1,000			•		•		•*		
800x1,000		•	•		•		•*		
2,400x1,200									•
2,200x1,200									•
2,000x1,200							•	•	•
1,800x1,200							•	•	
1,600x1,200							•	•	
1,400x1,200							•	•	
1,200x1,200							•*		
1,000x1,200							•*		
800x1,200							•*		









All rectangular conference and meeting desks are available as individual desks or as desk extensions on the left or right. Desks in the M series are also available as a spacer panel with frame.

- U4 series desks are only available as individual desks.
- CN series desks marked with an * are only available as desk extensions.

System Overview – Meeting Desks

Meeting Desks with Plate Base

Meeting desks with a plate base are available with a round column and a round plate base or with a square column and a square plate base. Their neutral design and functionality allows them to be used with all ophelis work desks. The central column and plate base ensure maximum leg room. Available with various height adjustment mechanisms.

	Explanation (dim. in mm)	Height adjustment	Height (in mm)	con.media	Z Series	L Series	U4 Series	CN Series	Q3 Series
	Desk top, column, plate base round diameter 800*	fixed fixed grid mechanism gas spring	720 1,120 620–820 720–1,120	•	•	•			
	Desk top, column, plate base round diameter 1,000*	fixed fixed grid mechanism gas spring	720 1,120 620–820 720–1,120	•	•	•			
	Desk top, column, plate base round diameter 1,200*	fixed fixed grid mechanism gas spring	720 1,120 620–820 720–1,120	•	•	•			
	Round desk top, column, plate base angular diameter 800	fixed fixed grid mechanism gas spring	720 1,120 620–820 720–1,120	•	•		•		•
	Round desk top, column, plate base angular diameter 1.000	fixed fixed grid mechanism gas spring	720 1,120 620-820 720–1,120	•	•		•		•
	Round desk top, column, plate base angular diameter 1,200	fixed fixed grid mechanism gas spring	720 1,120 620–820 720–1,120	•	•		•		•
	Desk top, column, plate base angular 800x800	fixed fixed grid mechanism gas spring	720 1,120 620–820 720–1,120	•	•		•		•
	Desk top, column, plate base angular 1,000x1,000	fixed fixed grid mechanism gas spring	720 1,120 620–820 720–1,120	•	•		•		•

* Optional: plate base with stainless steel ring (in combination with a black frame)